

MAR - 3 1922

1

4-683

MINERAL SURVEY No. 3826

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs J. V. Gallagher

KNOWN AS THE

Let Er Go Gallagher lode
Tombstone Mining District,
Cochise County, Arizona

Section 2, Township 21 S., Range 21 E.

Surveyed under instructions dated Feb 4, 1922

by John A. Rockness
U. S. Mineral Surveyor.

Claim located ^{location} See Notice, 19

Survey commenced February 8, 1922

Survey completed February 15, 1922

Address of claimant's Attorney, O. Gibson
Tombstone
Ariz

DATES OF AMENDED LOCATIONS.

T. P. H

.....
.....
.....

LET ' ER GO GALLAGHER Lode.

Feet	
	<p>Beginning at Cor. No. 1, set a post 4 ft. long 6 x 4 ins., 11 ins. in the ground to hard pan, in a mound of stone, scribe post S W C- L G 1-3826.</p> <p>Whence: Cor. of location, a monument of stone, bears S. 81° 15' W. 158 ft.</p> <p>X B R 1-3826 chiseled on a granite rock 14x10x6 ins. bears N. 9° 36' E. 9.65 ft.</p> <p>The 24 mile stone on the South boundary of the private land grant of San Juan de las Boquillas y Nogales, bears S. 17° 32' 30" W. 1725.8 ft.</p> <p>Thence N. 14° 00' W. Va. 14° 05' E.</p>
271.9	<p>To Cor. No. 2, identical with location, a mesquite post in a mound of earth. In its place set a post 4 ft. long 6 x 4 ins., 14 ins. in the ground to hard pan, in a mound of stone, scribe post W C E-L G 2-3826.</p> <p>Whence: X.B.R. (not space for more) chiseled on a limestone 8 x 5 x 2 inches bears S. 53° 15' E. 9.8 ft. No other rock or tree bearings available.</p> <p>Thence N. 16° 03' E. Va. 14° 05' E.</p>
263.7	<p>To Cor. No. 3, identical with location, a mesquite post in a mound of earth. In its place set a post 4 ft. long 6 x 4 ins., 12 ins. in the ground to hard pan, in a mound of stone, scribe post N W C-L G 3-3826.</p> <p>Whence: X B R 3-3826 chiseled on a granite rock 7 x 5 x 1 ins. bears S. 53° 30' E. 9.55 ft. No other rock or tree bearings available.</p> <p>Thence N. 77° 54' E. Va. 14° 05' E.</p>
1280.2	<p>To Cor. No. 4, identical with location, a post 4 ft. above ground 6 x 4 ins., surround post with a mound of stone and scribe same N E C- L G 4-3826.</p> <p>Whence: X B R 4-3826 chiseled on a granite rock 16 x 6 x 1 ins. bears S. 14° 00' E. 9.25 ft. No other rock or tree bearings available.</p> <p>Thence S. 14° 00' E. Va. 13° 45' E.</p>
289.9	<p>E. center end of location.</p>

Feet

297.9 Set post for E. center end, post 4 ft. long 4 x 4 ins. , set 12 ins. in ground to hard pan, in a mound of stone, scribe-post E C E-L G 3826.

Whence: Location a post bears N. 14° 00' W. 8.0 ft.

587.5 To Cor. No. 5, set a post 5 ft. long 4 x 4 ins., 14 ins. in the ground to hard pan, in a mound of stone, scribe post S E C-L G 5-3826.

Whence: Cor. of location, a post in a mound of earth bears N. 81° 15' E. 35.5 ft.

X B R 5-3826 chiseled on a granite rock 12x12x1 ins. bears N. 46° 06' W. 9.05 ft.

No other rock or tree bearings available.

Thence S. 81° 15' W. Va. 13° 55' E.

137.0 Center of road to mine bears S. Easterly and N. Westerly.

1417.5 To Cor. No. 1, -the place of beginning.

AREA

ACRES

LET 'ER GO GALLAGHER Lode

17.341

LOCATION.

This claim is situated within the boundaries of the private land grant of San Juan de las Boquillas y Nogales, in Cochise County Arizona, in Sec. 2, Unsur, T. 21 S, R. 21 E,

VEINS.

The presumed course of the vein is from the discovery S. 80° 32' W. 738.5 ft. to Cor. No. 2 (W C E) and N. 80° 32' E. 677.5 ft. to E. center end.

ADJOINING CLAIMS:

On the North:

The Powell,

The Mike Cafferky,

The Mother Mine lodes,

All unsurveyed and claimed by this claimant.

EXPENDITURE OF \$500.00:

I certify that the value of labor and improvements made upon this claim by the claimant or her grantors is not less than five hundred dollars and that ^{said} improvements consist of:

No. 1. Discovery shaft (incline), the center of the North side of which bears S. 80° 32' W. 677.5 ft. from E. center end, shaft 6 x 4 ft., 11 ft. deep.

Value \$ 100.00

From point on lode line at S. 80° 32' W. 677.5 ft. from E. center end.

No. 2. A shaft the center of which bears N. 21° 55' W. 50 ft.

Shaft 7 x 5 ft. 35 ft. deep. Extending from shaft W. S. Westerly 25 ft. is an open stope quite irregular and partly filled by caving; now average 10 ft. wide 8 ft. deep.

Value of shaft at \$12. per foot \$ 300
Value of open stope 300

No. 3. An open stope, the easterly end of which bears N. 62° 15' W. 64 ft.; thence extends W. S. Westerly 15 ft.: Average 7 ft. wide 10 ft. deep.

Value \$ 200

No. 4. An open stope the center of the southerly side of which bears N. 78° 30' W. 86 ft. The stope extends E. N. Easterly 5 ft. and W. S. Wly 5 ft., 7 ft. wide 10 ft. deep with drift at bottom turned under E. N. Easterly 5 ft.; cross section 7 x 4 ft.

Value of open stope 150
Value of drift 50

Total value improvements \$ 1100

OTHER IMPROVEMENTS.

From point on lode line at S. 80° 32' W. 677.5 ft. from E. C. E.

A. A shaft, the center of foot wall of which bears S. 69° 40' W. 95.5 ft.; shaft 6 x 4 ft. and 16 ft. deep.

B. A shaft, the center of foot wall of which bears S. 60° 00' W. 58.5 ft.; shaft 5 x 5 ft., 10 ft. deep. Claimant of improvements A and B unknown.

INSTRUMENT.

This survey was made with a Young and Son Mountain Transit (No. 6855), provided with Smith solar attachment. The courses were deflected from true meridian as determined by direct solar observations.

The distances were measured with 500 ft. and 50 ft. steel tapes.

REPORT.

The tie from corner No. 1 is to the 24 mile rock on the south boundary of the private land grant of San Juan de las Boquillas y Nogales, which rock was set by me in 1899, and is in good condition. Rock No. 23 1/2 (on west boundary of Grant) was placed on a flat not far from the Charleston Wash. This wash has carried much flood water since, enlarged its bed and changed the surface of the flat so that the rock mentioned could not be found.

Tombstone, Arizona,

February 23, 1922.

John A. Rockfellow
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

Mrs J. N. Gallagher
known as the Lot 'E' Go Gallagher lode
and showing the respective capacities in which they acted.

John P. Rockfellow, Chairman.
_____, Chairman.
_____, Assn.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, John P. Rockfellow
and _____, do solemnly swear that we assisted John A. Rockfellow,
United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Mrs J. N. Gallagher
known as the Lot 'E' Go Gallagher lode
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona

John P. Rockfellow, Chairman.
_____, Chairman.
_____, Assn.
_____, Flagman

Subscribed and sworn to by the above-named persons before me this 1st
day of March, 1922

[Signature]
NOTARY PUBLIC

My commission expires February 19, 1924



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockefeller, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Feb. 4, 1922, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mrs. J. N. Gallagher
Let. Er. G. Gallagher, known as the
situate in Tombstone Mining District,
Cochise County, Arizona, in Section
21 S., Township No. 21 S., Range No. 21 E.
and designated as Survey No. 3826, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

John A. Rockefeller
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Mineral Surveyor, before me Frances J. Atell, the
undersigned Notary Public, this 23rd
day of February, 1922.

Frances J. Atell
Notary Public

My commission
of 1044
expires Feb. 19, 1924.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

March 27, 1922.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Mrs. J. N. Gallagher

, known as the LET 'ER GO GALLAGHER Lode

, situate in Tombstone

Mining District, Cochise County,

Arizona, in Section 2 Unsur., Township No. 21 S.,

Range No. 21 E., and designated as Survey

No. 3826, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or her grantors, and
that said improvements consist of 2 shafts, 3 stopes and 1 drift,
total value \$1100.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

..... Phoenix, Arizona.

..... March 27, 1922.

I, U. S. Surveyor General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

..... Mrs. J. N. Gallagher

....., known as the

..... LET 'ER GO GALLAGHER Lode

situate in Tombstone mining district,

..... Cochise County, Arizona

in Section 2, Unsur., Township No. 21 S., Range No. 21 E.

....., designated as Survey No. 3826

executed by John A. Rockfellow, U. S. Mineral

Surveyor, February 8 - 15, 1922, under my instructions dated

..... February 4, 1922, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

..... 

U. S. Surveyor General for Arizona.